Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	("5978902" "6964035" "6839654" "5790871").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 13:21
L2	. 70	(debug\$4 near3 interface) and debug\$4 near3 (attach\$3 or monitor\$3 or profil\$3 or emulat\$3 or simulat\$3) and (interrupt\$3 or trap\$4) near5 (instrument\$3 or substitut\$3 or restor\$3 or replac\$4 or insert\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 13:51
L3	11	(debug\$4 near3 interface) and (encrypt\$3 or decrypt\$3) and (attach\$3 or monitor\$3 or profil\$3 or emulat\$3 or simulat\$3) and (interrupt\$3 or trap\$4) near5 (instrument\$3 or substitut\$3 or restor\$3 or replac\$4 or insert\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 14:13
L4	11	(debug\$4 near3 interface) and (encrypt\$3 or decrypt\$3) and (interrupt\$3 or trap\$4) near5 (instrument\$3 or substitut\$3 or restor\$3 or replac\$4 or insert\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/11/21 14:19
L5	2	"20050204348"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 14:55
L6	33	(debug\$4 near3 interface) and (encrypt\$3 or decrypt\$3) and (detect\$3 near3 tamper\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 14:19
L7	33	(debug\$4 near3 interface) and (encrypt\$3 or decrypt\$3) and (detect\$3 near3 tamper\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 15:03
L8	0	"20050204348" and (debug\$4 near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 14:55

L9	32	(debug\$4 near3 interface) and ((resist\$3 or anti or detect\$3) near3 tamper\$3) and (instrument\$5 or insert\$3 or substitut\$3 or replac\$4 or relocat\$3 or restor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 15:05
L10	7	19 not 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 15:27
L11	2	"6742177".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 15:27
L12	22	("5214789" "5778304" "5812850" "5819093" "5956038" "5990886" "5995823" "6006328" "6042614" "6067641" "6122658" "6154172" "6158045" "6343280" "6385727" "6516408").PN. OR ("6742177"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/21 15:29
L13	1	(("5214789" "5778304" "5812850" "5819093" "5956038" "5990886" "5995823" "6006328" "6042614" "6067641" "6122658" "6154172" "6158045" "6343280" "6385727" "6516408").PN. OR ("6742177"). URPN.) and (debug\$4 near2 interface)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/21 15:31
L14	6	380/???.ccls. and (debug\$4 near2 interface)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/21 15:38
L15	7	713/189.ccls. and (debug\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 15:38
L16	3	713/190.ccls. and (debug\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 15:41

L17	142	717/124.ccls. and (debug\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 15:42
L18	35	717/130.ccls. and (debug\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 15:42
L19		712/227.ccls. and (debug\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 15:42
S1	3	(tamper near3 (protection or resistence)) and (encrypt\$3 or decrypt\$3 or reencrypt\$3 or key or checksum or cryptographic) and (detect\$3 near5 illegal) and (attempt\$3 or attack\$3 or hack\$3 or denies or denial or eliminat\$3 or circumvent\$3 or protection or authenticat\$3 or authoriz\$5 or cipher\$5 or "dye packet" or unauthorized) and (interrupt\$3 or event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 13:16
S2	11	("6009543" "5940590").pn. "20040015958" "2004044906"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/10 18:52
S4	5	england.in. and (tamper near3 (protection or resistence)) and (encrypt\$3 or decrypt\$3 or reencrypt\$3 or key or checksum or cryptographic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/10 18:58
S6	201	england.in. and microsoft.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/10 19:02

S7	545	717/106.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/10 19:03
S8	0	717/106.ccls. and (tamper near3 (protection or resistence)) and (encrypt\$3 or decrypt\$3 or reencrypt\$3 or key or checksum or cryptographic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/10 19:03
S9	1	717/11?.ccls. and "tamper resistant"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/12 12:09
S12	5	"2004044906"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:11
S16	11	(convert\$3 or conversion or adapt\$3 or modify\$3 or modification or alter\$5) and "tamper resistant" and encrypt\$3 near3 (section or subsection or module or component or portion or selected) and (instrument\$3 or trigger\$3 or invoc\$5 or event or handl\$3 or trap\$4 or interrupt\$3) and (decrypt\$3 or key or authority or authoriz\$5) and (branch\$3 or jump\$3 or redirect\$3 or transfer\$4 or address\$3 or indirect\$3) and (remot\$3 or rpc or network\$3 or distributed) and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:39
S17	44	(James and horning).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:39

S18		(convert\$3 or conversion or adapt\$3 or modify\$3 or modification or alter\$5) and "tamper resistant" and encrypt\$3 near3 (section or subsection or module or component or portion or selected) and (instrument\$3 or trigger\$3 or invoc\$5 or event or handl\$3 or trap\$4 or interrupt\$3) and (decrypt\$3 or key or authority or authoriz\$5) and (branch\$3 or jump\$3 or redirect\$3 or transfer\$4 or address\$3 or indirect\$3) and (remot\$3 or rpc or network\$3 or distributed) and 7??/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:40
S19		(convert\$3 or conversion or adapt\$3 or modify\$3 or modification or alter\$5 or insert\$3) and tamper same encrypt\$3 near3 (section or subsection or module or component or portion or selected) and (instrument\$3 or trigger\$3 or invoc\$5 or event or handl\$3 or trap\$4 or interrupt\$3) and (decrypt\$3 or key or authority or authoriz\$5) and (branch\$3 or jump\$3 or redirect\$3 or transfer\$4 or address\$3 or indirect\$3) and (remot\$3 or rpc or network\$3 or distributed) and 7??/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 13:04
S20	4	(convert\$3 or conversion or adapt\$3 or modify\$3 or modify\$3 or modification or alter\$5 or insert\$3) and tamper same encrypt\$3 near3 (section or subsection or module or component or portion or selected) and (instrument\$3 or trigger\$3 or invoc\$5 or event or handl\$3 or trap\$4 or interrupt\$3) and (decrypt\$3 or key or authority or authoriz\$5) and (branch\$3 or jump\$3 or redirect\$3 or transfer\$4 or address\$3 or indirect\$3) and (remot\$3 or rpc or network\$3 or distributed) and (communicat\$3 or report\$3 or transmit\$4) near3 (alert\$3 or alarm\$3 or unauthoriz\$5 or nonauthoriz\$5 or hacker or attack\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 13:08

			_			l
S21	0	(convert\$3 or conversion or adapt\$3 or modify\$3 or modification or alter\$5 or insert\$3) and tamper same encrypt\$3 near3 (section or subsection or module or component or portion or selected) and (instrument\$3 or trigger\$3 or invoc\$5 or event or handl\$3 or trap\$4 or interrupt\$3) and (decrypt\$3 or key or authority or authoriz\$5) and (branch\$3 or jump\$3 or redirect\$3 or transfer\$4 or address\$3 or indirect\$3) and (remot\$3 or rpc or network\$3 or distributed) and ginter.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 13:06
S22		(convert\$3 or conversion or adapt\$3 or modify\$3 or modify\$3 or modification or alter\$5 or insert\$3) and tamper same encrypt\$3 near3 (section or subsection or module or component or portion or selected) and (instrument\$3 or trigger\$3 or invoc\$5 or event or handl\$3 or trap\$4 or interrupt\$3) and (decrypt\$3 or key or authority or authoriz\$5) and (branch\$3 or jump\$3 or redirect\$3 or transfer\$4 or address\$3 or indirect\$3) and (remot\$3 or rpc or network\$3 or distributed) and (identity or identify or indentification or communicat\$3 or report\$3 or transmit\$4 or prosecut\$3) near3 (illegal or alert\$3 or alarm\$3 or unauthoriz\$5 or nonauthoriz\$5 or hacker or attack\$3 or tamper\$3 or snoop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/12 13:14
S23	21	tamper same encrypt\$3 and (decrypt\$3 or key or authority or authoriz\$5) and (identity or identify or indentification or prosecut\$3) near3 (illegal or alert\$3 or alarm\$3 or unauthoriz\$5 or nonauthoriz\$5 or hacker or attack\$3 or tamper\$3 or snoop\$3) same (communicat\$3 or report\$3 or transmit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 13:19
S24	318	(illegal or alert\$3 or alarm\$3 or unauthoriz\$5 or nonauthoriz\$5) near5 hacker same (communicat\$3 or report\$3 or transmit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 13:20

S25	25	(illegal or alert\$3 or alarm\$3 or unauthoriz\$5 or nonauthoriz\$5) near5 hacker same (communicat\$3 or report\$3 or transmit\$4) same (identify or identification or identity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 13:29
S26	1193	713/182.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 13:29
S27	27	713/182.ccls. and (convert\$3 or conversion or adapt\$3 or modify\$3 or modification or alter\$5) and "tamper resistant" and encrypt\$3 near3 (module or component or portion or selected)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 13:30
S28	11	713/187.ccls. and (convert\$3 or conversion or adapt\$3 or modify\$3 or modification or alter\$5) and "tamper resistant" and encrypt\$3 near3 (module or component or portion or selected)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 13:30
S29	14	713/190.ccls. and (convert\$3 or conversion or adapt\$3 or modify\$3 or modification or alter\$5) and "tamper resistant" and encrypt\$3 near3 (module or component or portion or selected)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/03/12 13:30
S30	7	713/191.ccls. and (convert\$3 or conversion or adapt\$3 or modify\$3 or modification or alter\$5) and "tamper resistant" and encrypt\$3 near3 (module or component or portion or selected)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 13:30
S31	52	713/194.ccls. and (convert\$3 or conversion or adapt\$3 or modify\$3 or modification or alter\$5) and "tamper resistant" and encrypt\$3 near3 (module or component or portion or selected)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 13:30
S32	97	S27 S28 S29 S30 S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 13:31

S35	8	717/12?.ccls. and (encrypt\$3 or scrambl\$3 or ciphertext or secur\$3) near5 (portion or segment or subsection or section or partition or selected) and (debug\$4 or monitor\$3 or emulat\$3 or simulat\$3) near5 (inject\$3 or incorporat\$3 or attach\$3 or instrument\$5 or hook\$3 or prob\$3 or insert\$3 or modify\$3 or add\$3) and (transfer\$4 or remote\$2 or offsite or deploy\$4) and (gui or ui or console or site or alert\$3 or report\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 15:18
S36	3	717/13?.ccls. and (encrypt\$3 or scrambl\$3 or ciphertext or secur\$3) near5 (portion or segment or subsection or section or partition or selected) and (debug\$4 or monitor\$3 or emulat\$3 or simulat\$3) near5 (inject\$3 or incorporat\$3 or attach\$3 or instrument\$5 or hook\$3 or prob\$3 or insert\$3 or modify\$3 or add\$3) and (transfer\$4 or remote\$2 or offsite or deploy\$4) and (gui or ui or console or site or alert\$3 or report\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 17:28
S37	· 6	717/14?.ccls. and (encrypt\$3 or scrambl\$3 or ciphertext or secur\$3) near5 (portion or segment or subsection or section or partition or selected) and (debug\$4 or monitor\$3 or emulat\$3 or simulat\$3) near5 (inject\$3 or incorporat\$3 or attach\$3 or instrument\$5 or hook\$3 or prob\$3 or insert\$3 or modify\$3 or add\$3) and (transfer\$4 or remote\$2 or offsite or deploy\$4) and (gui or ui or console or site or alert\$3 or report\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 15:18
S38	. 10	713/190.ccls. and (encrypt\$3 or scrambl\$3 or ciphertext or secur\$3) near5 (portion or segment or subsection or section or partition or selected) and (debug\$4 or monitor\$3 or emulat\$3 or simulat\$3) near5 (inject\$3 or incorporat\$3 or attach\$3 or instrument\$5 or hook\$3 or prob\$3 or insert\$3 or modify\$3 or add\$3) and (transfer\$4 or remote\$2 or offsite or deploy\$4) and (gui or ui or console or site or alert\$3 or report\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 15:18

S39		713/191.ccls. and (encrypt\$3 or scrambl\$3 or ciphertext or secur\$3) near5 (portion or segment or subsection or section or partition or selected) and (debug\$4 or monitor\$3 or emulat\$3 or simulat\$3) near5 (inject\$3 or incorporat\$3 or attach\$3 or instrument\$5 or hook\$3 or prob\$3 or insert\$3 or modify\$3 or add\$3) and (transfer\$4 or remote\$2 or offsite or deploy\$4) and (gui or ui or console or site or alert\$3 or report\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 15:18
S40	11	713/182.ccls. and (encrypt\$3 or scrambl\$3 or ciphertext or secur\$3) near5 (portion or segment or subsection or section or partition or selected) and (debug\$4 or monitor\$3 or emulat\$3 or simulat\$3) near5 (inject\$3 or incorporat\$3 or attach\$3 or instrument\$5 or hook\$3 or prob\$3 or insert\$3 or modify\$3 or add\$3) and (transfer\$4 or remote\$2 or offsite or deploy\$4) and (gui or ui or console or site or alert\$3 or report\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 15:19
S41		713/187.ccls. and (encrypt\$3 or scrambl\$3 or ciphertext or secur\$3) near5 (portion or segment or subsection or section or partition or selected) and (debug\$4 or monitor\$3 or emulat\$3 or simulat\$3) near5 (inject\$3 or incorporat\$3 or attach\$3 or instrument\$5 or hook\$3 or prob\$3 or insert\$3 or modify\$3 or add\$3) and (transfer\$4 or remote\$2 or offsite or deploy\$4) and (gui or ui or console or site or alert\$3 or report\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/08/29 15:19
S42	. 12	713/194.ccls. and (encrypt\$3 or scrambl\$3 or ciphertext or secur\$3) near5 (portion or segment or subsection or section or partition or selected) and (debug\$4 or monitor\$3 or emulat\$3 or simulat\$3) near5 (inject\$3 or incorporat\$3 or attach\$3 or instrument\$5 or hook\$3 or prob\$3 or insert\$3 or modify\$3 or add\$3) and (transfer\$4 or remote\$2 or offsite or deploy\$4) and (gui or ui or console or site or alert\$3 or report\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 15:46

S43	56	S35 S36 S37 S38 S39 S40 S41 S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 15:21
S44	2	"20040010778" and 717/13?.ccls. and (encrypt\$3 or scrambl\$3 or ciphertext or secur\$3) near5 (portion or segment or subsection or section or partition or selected) and (debug\$4 or monitor\$3 or emulat\$3 or simulat\$3) near5 (inject\$3 or incorporat\$3 or attach\$3 or instrument\$5 or hook\$3 or prob\$3 or insert\$3 or modify\$3 or add\$3) and (transfer\$4 or remote\$2 or offsite or deploy\$4) and (gui or ui or console or site or alert\$3 or report\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 17:29
S45	489	713/???.ccls. and (encrypt\$3 or scrambl\$3 or ciphertext or secur\$3 or "cypher-text" or protect\$3) near3 (portion or segment or subsection or section or partition or select\$3 or part) and (inject\$3 or incorporat\$3 or attach\$3 or instrument\$5 or hook\$3 or prob\$3 or insert\$3 or modify\$3 or add\$3 or convert\$3) and (transfer\$4 or spawn or redirect\$3 or invok\$3 or invocation or instantiat\$3 or hand\$3 or interrupt\$3 or event or handl\$3) near3 (decrypt\$3 or decipher\$3 or unscrambl\$3 or debug\$4 or monitor\$3 or emulat\$3 or simulat\$3) and (gui or ui or console or site or alert\$3 or report\$3 or messag\$3) and (inject\$3 or incorporat\$3 or attach\$3 or instrument\$5 or hook\$3 or prob\$3 or insert\$3 or modify\$3 or add\$3 or convert\$3) near5 (software or appllication or program or code or instructions)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:13

Page 10 11/21/2007 3:43:15 PM C:\Documents and Settings\msteelman\My Documents\EAST\Workspaces\10774368.wsp

S46		714/???.ccls. and (encrypt\$3 or scrambl\$3 or ciphertext or secur\$3 or "cypher-text" or protect\$3) near3 (portion or segment or subsection or section or partition or select\$3 or part) and (inject\$3 or incorporat\$3 or attach\$3 or instrument\$5 or hook\$3 or prob\$3 or insert\$3 or modify\$3 or add\$3 or convert\$3) and (transfer\$4 or spawn or redirect\$3 or invok\$3 or invocation or instantiat\$3 or hand\$3 or interrupt\$3 or event or handl\$3) near3 (decrypt\$3 or decipher\$3 or unscrambl\$3 or debug\$4 or monitor\$3 or emulat\$3 or simulat\$3) and (gui or ui or console or site or alert\$3 or report\$3 or messag\$3) and (inject\$3 or insert\$3 or modify\$3 or add\$3 or convert\$3) near5 (software or appllication or program or code or instructions)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/08/30 10:00
S47	83	717/???.ccls. and (encrypt\$3 or scrambl\$3 or ciphertext or secur\$3 or "cypher-text" or protect\$3) near3 (portion or segment or subsection or section or partition or select\$3 or part) and (inject\$3 or incorporat\$3 or attach\$3 or instrument\$5 or hook\$3 or prob\$3 or insert\$3 or modify\$3 or add\$3 or convert\$3) and (transfer\$4 or spawn or redirect\$3 or invok\$3 or invocation or instantiat\$3 or hand\$3 or interrupt\$3 or event or handl\$3) near3 (decrypt\$3 or decipher\$3 or unscrambl\$3 or debug\$4 or monitor\$3 or emulat\$3 or simulat\$3) and (gui or ui or console or site or alert\$3 or report\$3 or messag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/08/30 15:21
S49	1	"20050204348" and debug\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:38

Web

Sign in Web Images Shopping News Maps Gmail more v Google Advanced Search operating system debug interface + interrupt Search

Results 1 - 10 of about 1,100,000 for operating system debug interface + interrupt. (0.35 seconds)

Techniques for an interrupt free operating system - US Patent 6314471 Debug interface including operating system access of a serial/parallel debug ... and system for processing asynchronously occurring events without interrupt ... www.patentstorm.us/patents/6314471.html - 35k - Cached - Similar pages

Debug interface for an event timer apparatus - US Patent 6839654 The timers are defined such that the operating system may be able to assign Due to the functionality built into the debug interface 16, interrupt ... www.patentstorm.us/patents/6839654-description.html - 34k - Cached - Similar pages [More results from www.patentstorm.us]

Debug interface including operating system access of a serial ... A debug interface supports data transfer using read and write system ... A System Management Interrupt (SMI) is reported with a TDATA value set to FFFFh. ... www.freepatentsonline.com/5978902.html - 147k - Cached - Similar pages

Debug interface for an event timer apparatus - Patent 20040003027 The timers are defined such that the operating system may be able to assign into the debug interface 16, interrupt events will be triggered upon the ... www.freepatentsonline.com/20040003027.html - 39k - Cached - Similar pages [More results from www.freepatentsonline.com]

HighTec EDV-Systeme GmbH - PXROS ARM7 System Development Platform Compiler and PXROS Realtime Operating System; GUI for project management and GNU ... JTAG/BDM debugger interface: The debugger included in the PXROS TriCore ... www.hightec-rt.com/index.php?option=com_content&task=view&id=17&Itemid=29 - 19k -Cached - Similar pages

[PDF] Intelligent Carrier Operating System (ICOS) File Format: PDF/Adobe Acrobat - View as HTML

VXI System Command Interface. • For a complete list of functions in the library, refer to ... unless an interrupt occurs, most standard debug ... www.chtech.com/pdf_data/ICOSDataSheet.pdf - Similar pages

PC PhD: Inside PC Interfacing

... Interrupt Interfaces Operating Systems Multitasking Operating Systems ... (PSP) Environment Inforation DOS Interrupt Interface Console Interfacing ... www.myke.com/pc-phd.htm - 16k - Cached - Similar pages

Real-Time Operating Systems: INtime Architecture

INtime is implemented as a real-time operating system which shares the hardware platform with ... When a real-time interrupt occurs in the Windows context, ... msdn2.microsoft.com/en-us/library/ms838597.aspx - 24k - Cached - Similar pages

[PDF] Microsoft PowerPoint - Fred Support Poster [Read-Only]

File Format: PDF/Adobe Acrobat - View as HTML Operating system support - buffer structures, timers, low-level. FPGA interface, device drivers. - FPGA circuits - processor interface, interrupt support ... bwrc.eecs.berkeley.edu/Presentations/Retreats/

Winter_Retreat_Jan_2000/Posters/pdf/fredoverview.pdf - Similar pages

<u>TimeMachine debugger for embedded systems - Green Hills Software</u>
The TimeMachine debugger interface lets you step and run through code—both ... display of operating system events such as kernel service calls, interrupts, ... www.ghs.com/products/timemachine.html - 51k - Cached - Similar pages

> **Next 1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>

Try Google Desktop: search your computer as easily as you search the web.	
operating system debug interface + Se Search within results Language Tools Search Tips Dissa	arch distinction arch d

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Web Images Shopping News Maps Gmail more .

Sign in

Google

operating system debug interface + interrupt + Search | Advanced Search | Preferences

Web Results 1 - 10 of about 906,000 for operating system debug interface + interrupt + controller. (0.33 sec

System and method for testing and debugging a multiprocessing ...
In general, a single copy of the operating system software as well as a single copy A central controller interface 404 is coupled to each to interrupt ...
www.freepatentsonline.com/5790871.html - 100k - Cached - Similar pages

Debug interface including operating system access of a serial ...

A host system 111 is used to execute debug control software 112 for A System Management Interrupt (SMI) is reported with a TDATA value set to FFFFh. ... www.freepatentsonline.com/5978902.html - 147k - Cached - Similar pages

[More results from www.freepatentsonline.com]

The Aplio/TRIO is an integrated processor designed for Smart ...

Operating System for the main application, Royalty-Free; Shorter Porting times ... The Aplio/TRIO has an 8-level priority interrupt controller. ...

www.aplio.com/B/B2111.htm - 46k - Cached - Similar pages

System and method for testing and debugging a multiprocessing ...

The operating system software divides various portions of the program code into the A central controller interface 404 is coupled to each to interrupt ...

www.patentstorm.us/patents/5790871-description.html - 97k - Cached - Similar pages

Personal computer apparatus and method for monitoring memory ...

(a) an interrupt controller in circuit communication with said CPU and configured an operating system into memory and wherein the monitor and debugger ... www.patentstorm.us/patents/5850562-claims.html - 28k - Cached - Similar pages [More results from www.patentstorm.us]

System-on-a-chip design platform with microcomputer co-debugging ... By providing standard I/O (interrupt controller, timer, serial I/O) used in many systems, sharing is designed. for even when the operating system described ... doi.wiley.com/10.1002/ecjb.10192 - Similar pages

Renesas Introduces 324MHz, 583-MIPS SuperH Microprocessor ...
The SH7764 microprocessor can support standard operating systems such as ... Interrupt controller. Clock pulse generator: Built-in multiplication PLL ...
www.linuxelectrons.com/news/embedded/renesas-introduces-324mhz-583-mips-superh-microprocessor - 23k - Cached - Similar pages

PC PhD: Inside PC Interfacing

... Interrupt Interfaces Operating Systems Multitasking Operating Systems ... 30 The Joystick Interface How the PC reads analog input Digital Control Using ... www.myke.com/pc-phd.htm - 16k - Cached - Similar pages

Real-Time Operating Systems: INtime Architecture

INtime is implemented as a real-time operating system which shares the hardware ... and all other interrupts are masked at the interrupt controller. ...

msdn2.microsoft.com/en-us/library/ms838597.aspx - 24k - Cached - Similar pages

[PDF] No Slide Title

File Format: PDF/Adobe Acrobat
Serial IO. Clock **Controller**. Port. **Interrupt Controller**. Built In. SRAM. *(1MB). L2. Cach. e. ROM/RAM. JTAG. Bus **Interface**. CPU. **System**. SDRAM. *L2 Cache ... tcc.stanford.edu/prototypes/tccm32r_060926.pdf - <u>Similar pages</u>

1 2 3 4 5 6 7 8 9 10 Next

Download Google Pack: free essential software for your PC

operating system debug interface + Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google